

Birding in Thailand

28.02.2015 bis 03.04.2015



Ingrid Grunwald & Helmut Schumann
caracara@online.de

Nach unseren Reisen in 1991, 2001, 2003 und 2005 entschlossen wir uns sehr kurzfristig für eine erneute Tour. Die Vogelwelt ist einfach toll, die Menschen sind freundlich, das Essen ist fantastisch und es ist ein sehr günstiges Reiseland.

Obwohl z. T. deutlich negative Entwicklungen - gegenüber den früheren Reisen - festzustellen waren, hat es uns gefallen.

Wir hatten 361 Arten auf dieser Tour (2001 = 329 Arten / 2003 = 291 Arten / 2005 = 288 Arten).

Trotz der Kenntnis aus den vorherigen Touren guckten wir natürlich auch auf neuere Reiseberichte aus der Sammlung auf <http://www.cloudbirders.com/tripreport> und auch von Reisenveranstaltern (u. a. Birdquest, Ventbird) - und immer noch ist dabei Nigel Wheatleys "Where to watch birds in Asia".

Sehr gute Gebietsbeschreibungen und Listen waren auf den Seiten http://www.thaibirding.com/locations/locations_map.htm, http://www.norththailandbirding.com/pages/localities/a_a_main.html, <http://souththailandbirding.com/Top-Birding-Locations.php> zu finden.

Wie immer fahren wir mit Landkarten los, in der die interessantesten Gegenden markiert sind und haben Artenlisten für die jeweiligen Gebiete. Es gibt natürlich auch mögliche Routenplanungen, aber keine Festlegungen. Wir sind da spontan und am Abend oft wo anders, als wir am Vorabend planten. Wir besuchten bekannte und neue Plätze.

Gebucht waren das Hotel bei der Ankunft und die letzte Übernachtung sowie natürlich der Wagen.

- **Flüge**

Die günstigsten Flüge wurden ca. acht Wochen vorher dem Start von Emirates angeboten. Negativ sind jedoch die Zwischenlandung in Dubai und der Rückflug mit dem A 380. Aber eben sehr günstig.

Als dann die Buchung erfolgen konnte, war plötzlich KLM (nur ganz knapp hinter China Airlines) günstig. Jippieh! Wir konnten also wieder Häuschen sammeln.



Die Flüge waren gut und erholsam.

Ärger gab es mit dem Gepäck, glücklicherweise aber erst beim Rückflug: Zwei Taschen fehlten. Grundsätzlich kein Problem, wir brauchten den Inhalt nicht sofort. Sehr negativ war jedoch, dass die Taschen erst nach vier Tagen und mehrfachen telefonischen Nachfragen gebracht wurden. Unklar ist geblieben, ob das nun an KLM oder dem Flughafen lag - aber so, wie sich die dortigen Kontaktpersonen verhalten haben, lag es wohl am Flughafen.

- **Fahrzeug**

Über www.billiger-mietwagen.de (Car Del Mar) buchten wir einen Mitsubishi Pajero von Thai Rent a Car. Außer - und dort auch nur ein bisschen - im Kaeng Krachan Nationalpark braucht man 4WD aber eigentlich nicht.

Die Übernahme war schnell und reibungslos. Der Wagen war top und hatte bei der Übernahme knapp 7.500 km auf dem Tacho. Es gab auf der Fahrt keine Überraschungen. Die Abgabe war ebenfalls problemlos.

- **Sicherheit**

Wir haben uns immer völlig sicher gefühlt; auch in den südlicheren Landesteilen.

- **Wesentliche Hardware (neben Ferngläsern, Spektiven und Fotoutensilien)**

Der iPod war mit diversen Stimmen von <http://www.xeno-canto.org/collection/area/asia> und den CDs "Birds of Thailand" geladen.

Bestimmungsbücher:

- Boonsong Lekagul / Philip Round: A guide to the Birds of Thailand
- Craig Robsen: Birds of Thailand
- Craig Robsen: Birds of Thailand and South-east Asia

Für die Notizen am Tag nutzen wir seit Jahren ein Diktiergerät. Die Beobachtungen werden am Abend mit dem Notebook erfasst.

Obwohl wir die bisherigen Touren nur mit Karten und ohne Navigationsgerät gemacht hatten, liehen wir uns für die Reise eins von www.navi-mieten-world.de. Bei xeno-canto waren bei Aufnahmen von interessanten Arten häufig die Koordinaten angeben. Wir bestellten das Gerät einige Tage früher und nahmen diese Eingaben schon zu Hause vor. Für die Durchfahrten von Bangkok und Chiang Mai war das Navi aber auch jeden Cent wert.

Zum ersten Mal hatten wir auch ein Tablet dabei. Dort hatten wir viele Informationen und Karten der Gebiete gespeichert. Der Zugriff im Auto, im Nationalpark war wesentlich unkomplizierter als auf die Akte, die sonst immer mit war. Und ein bisschen Gewicht hatten wir so auch gespart.

- **Übernachtungsorte**



• Verlauf

				Preis THB	gefahrene km
Fr	27.02.2015	Hamburg	12:05 - KL 1780		
		Amsterdam		0,55	
		Amsterdam	17:35 - KL 0875		
Sa	28.02.2015	Bangkok	10:05		
		Phetchaburi	White Monkey Guesthouse	800,00	177
So	01.03.2015	Phetchaburi	White Monkey Guesthouse	800,00	131
Mo	02.03.2015	Khao Sam Roi Yoat Beach	Dophin Bay Resort	1.690,00	238
Di	03.03.2015	Khao Sam Roi Yoat Beach	Dophin Bay Resort	1.690,00	260
Mi	04.03.2015	Khao Sam Roi Yoat Beach	Dophin Bay Resort	1.690,00	146
Do	05.03.2015	Surant Thani	100 Island Resort	900,00	459
Fr	06.03.2015	Nakhon Si Tamarat	Grand Park Hotel	1.000,00	385
Sa	07.03.2015	Nakhon Si Tamarat	Grand Park Hotel	1.000,00	154
So	08.03.2015	Khao Nor Chu Chi	Morakot Resort	1.200,00	182
Mo	09.03.2015	Khao Lak	Happy Lagoon	1.237,00	237
Di	10.03.2015	Khao Lak	Happy Lagoon	1.237,00	172
Mi	11.03.2015	Khao Sok	Morning Mist Resort	1.236,00	240
Do	12.03.2015	Khao Sok	Morning Mist Resort	1.236,00	75
Fr	13.03.2015	Ranong	Pathu Resort	790,00	242
Sa	14.03.2015	Khao Sam Roi Yoat Beach	Dinsor Resort	800,00	398
So	15.03.2015	Kaeng Krachan	Ban Maka	1.400,00	273
Mo	16.03.2015	Kaeng Krachan	Ban Maka	1.400,00	100
Di	17.03.2015	Kaeng Krachan	Ban Maka	1.400,00	72
Mi	18.03.2015	Kamphaeng Phet	Navarat Hotel	800,00	589
Do	19.03.2015	Doi Intanon	Intanon Highland Resort	1.926,00	355
Fr	20.03.2015	Doi Intanon	Intanon Highland Resort	1.926,00	162
Sa	21.03.2015	Doi Intanon	Intanon Highland Resort	1.926,00	123
So	22.03.2015	Tha Ton	RiverSideResort	1.400,00	336
Mo	23.03.2015	Tha Ton	RiverSideResort	1.400,00	128
Di	24.03.2015	Tha Ton	RiverSideResort	1.400,00	39
Mi	25.03.2015	Chiang Saen	Viang Yonok Hotel	2.000,00	273
Do	26.03.2015	Chiang Saen	Viang Yonok Hotel	2.000,00	108
Fr	27.03.2015	Doi Angkhang	Nature Resort	2.000,00	190
Sa	28.03.2015	Doi Angkhang	Nature Resort	2.000,00	45
So	29.03.2015	Kamphaeng Phet	Navarat Hotel	800,00	522
Mo	30.03.2015	Pak Chong	Khao Yai Garden Lodge	1.150,00	421
Di	31.03.2015	Pak Chong	Khao Yai Garden Lodge	1.150,00	161
Mi	01.04.2015	Pak Chong	Khao Yai Garden Lodge	1.400,00	118
Do	02.04.2015	Pak Chong	Khao Yai Garden Lodge	1.400,00	127
Fr	03.04.2015	Bangkok	Novotel Suvamabhumi Airport Hotel	5.476,28	220
Sa	04.04.2015	Bangkok	12:05 - KL 0876		
		Amsterdam	18:45		7.858
		Amsterdam	20:45 - KL 1789		
		Hamburg	21:50		

- **28.02. bis 02.03. - Küste und Marschland in der Nähe von Bangkok**

Am Flughafen waren die ATM überfüllt oder in einer Lage, die uns nicht gefiel, wir hatten bei der Fahrt also noch kein Geld. Die Gebühr der Autobahn wollte ich mit Kreditkarte bezahlen. Die wurde aber nicht genommen und wir wurden so durch gewunken. An jeder folgenden Tankstelle gab es dann mehrere ATM.

Für den Beginn hatten wir Phetchaburi gewählt. Wir wollten um Pak Thale herum Limikolen, insbesondere natürlich 'Spoonbillie' sehen und fanden dichter dran keine Unterkunft, die uns gefiel. Das vorgebuchte Hotel <https://www.facebook.com/whitemonkeygh> lag so versteckt in einer Seitengasse, dass wir es nur mit Hilfe der Polizei fanden. Im Ort waren kleine Läden und Restaurants.

Obwohl wir während des Flugs gut geschlafen hatten, haben wir am ersten Tag nicht viel gemacht.

Am 01.03. besuchten wir Laem Pak Bia, Pak Thale und das King Projekt (nördlich von Had Chao Samran) und ebenso am nächsten Tag bevor wir nach Khao Sam Roi Yoat Beach führen. Es waren schöne und erfolgreiche Tage. Spoon-billed Sandpipers (vier standen zusammen) und ein großer Trupp Great Knots waren das Beste.

Lesser Whistling Duck (*Dendrocygna javanica*)
Little Grebe (*Tachybaptus ruficollis*)



Asian Openbill (*Anastomus oscitans*)
Indian Cormorant (*Phalacrocorax fuscicollis*)
Little Cormorant (*Phalacrocorax niger*)
Schrenck's Bittern (*Ixobrychus eurhythmus*)
Grey Heron (*Ardea cinerea*)
Purple Heron (*Ardea purpurea*)
Great Egret (*Ardea alba*)
Intermediate Egret (*Mesophoyx intermedia*)
Little Egret (*Egretta garzetta*)
Cattle Egret (*Bubulcus ibis*)
Chinese Pond Heron (*Ardeola bacchus*)
Black-shouldered Kite (*Elanus caeruleus*)
Black Kite (*Milvus migrans*)
Brahminy Kite (*Haliastur indus*)
White-bellied Sea Eagle (*Haliaeetus leucogaster*)
White-breasted Waterhen (*Amaurornis phoenicurus*)
Ruddy-breasted Crake (*Porzana fusca*)
Black-backed Swampphen (*Porphyrio indicus*)
Common Moorhen (*Gallinula chloropus*)
Black-winged Stilt (*Himantopus himantopus*)
Grey Plover (*Pluvialis squatarola*)
Pacific Golden Plover (*Pluvialis fulva*)
Red-wattled Lapwing (*Vanellus indicus*)
Lesser Sand Plover (*Charadrius mongolus*)
Greater Sand Plover (*Charadrius leschenaultii*)
Kentish Plover (*Charadrius alexandrinus*)
Little Ringed Plover (*Charadrius dubius*)
Pheasant-tailed Jacana (*Hydrophasianus chirurgus*)
Terek Sandpiper (*Xenus cinereus*)
Common Sandpiper (*Actitis hypoleucos*)
Green Sandpiper (*Tringa ochropus*)
Spotted Redshank (*Tringa erythropus*)
Common Greenshank (*Tringa nebularia*)

Marsh Sandpiper (*Tringa stagnatilis*)
Wood Sandpiper (*Tringa glareola*)
Common Redshank (*Tringa totanus*)
Whimbrel (*Numenius phaeopus*)
Far Eastern Curlew (*Numenius madagascariensis*)
Eurasian Curlew (*Numenius arquata*)
Black-tailed Godwit (*Limosa limosa*)
Great Knot (*Calidris tenuirostris*)
Red Knot (*Calidris canutus*)
Broad-billed Sandpiper (*Calidris falcinellus*)
Sharp-tailed Sandpiper (*Calidris acuminata*)
Curlew Sandpiper (*Calidris ferruginea*)
Temminck's Stint (*Calidris temminckii*)
Long-toed Stint (*Calidris subminuta*)



Spoon-billed Sandpiper (*Calidris pygmaea*)
Red-necked Stint (*Calidris ruficollis*)
Sanderling (*Calidris alba*)
Common Snipe (*Gallinago gallinago*)
Red-necked Phalarope (*Phalaropus lobatus*)
Brown-headed Gull (*Chroicocephalus brunnicephalus*)
Pallas's Gull (*Ichthyaetus ichthyaeus*)
Little Tern (*Sternula albifrons*)
Gull-billed Tern (*Gelochelidon nilotica*)
Caspian Tern (*Hydroprogne caspia*)
White-winged Tern (*Chlidonias leucopterus*)
Whiskered Tern (*Chlidonias hybrida*)
Red Collared Dove (*Streptopelia tranquebarica*)
Spotted Dove (*Streptopelia chinensis*)
Zebra Dove (*Geopelia striata*)
Asian Koel (*Eudynamis scolopaceus*)
Himalayan Swiftlet (*Aerodramus brevirostris*)
Germain's Swiftlet (*Aerodramus germani*)
Asian Palm Swift (*Cypsiurus balasiensis*)
White-throated Kingfisher (*Halcyon smyrnensis*)
Black-capped Kingfisher (*Halcyon pileata*)

Collared Kingfisher (*Todiramphus chloris*)
 Pied Kingfisher (*Ceryle rudis*)
 Green Bee-eater (*Merops orientalis*)
 Blue-tailed Bee-eater (*Merops philippinus*)



Chestnut-headed Bee-eater (*Merops leschenaulti*)
 Indian Roller (*Coracias benghalensis*)
 Peregrine Falcon (*Falco peregrinus*)
 Golden-bellied Gerygone (*Gerygone sulphurea*)
 Ashy Woodswallow (*Artamus fuscus*)

Brown Shrike (*Lanius cristatus*)
 Black Drongo (*Dicrurus macrocercus*)
 Malaysian Pied Fantail (*Rhipidura javanica*)
 Large-billed Crow (*Corvus macrorhynchos*)
 Barn Swallow (*Hirundo rustica*)
 Red-whiskered Bulbul (*Pycnonotus jocosus*)
 Streak-eared Bulbul (*Pycnonotus blanfordi*)
 Dark-necked Tailorbird (*Orthotomus atrogularis*)
 Grey-breasted Prinia (*Prinia hodgsonii*)
 Oriental Magpie-robin (*Copsychus saularis*)
 Siberian Stonechat (*Saxicola maurus*)
 Asian Pied Starling (*Gracupica contra*)
 Common Myna (*Acridotheres tristis*)
 Great Myna (*Acridotheres grandis*)
 Olive-backed Sunbird (*Cinnyris jugularis*)
 Grey Wagtail (*Motacilla cinerea*)
 House Sparrow (*Passer domesticus*)
 Plain-backed Sparrow (*Passer flaveolus*)
 Eurasian Tree Sparrow (*Passer montanus*)

Khao Sam Roi Yot Beach ist ein großer Ort geworden. Viele Restaurant und Hotels und sehr viele Menschen. Wir bekamen das letzte Zimmer im Dophin Bay Resort <https://www.dolphinbayresort.com/>. Es hatte sich gegenüber unserem letzten Aufenthalt nicht wesentlich verändert und war gepflegt und gemütlich, aber deutlich erweitert. Das Essen war sogar besser.

- **03.03. bis 05.03. - Khao Sam Roi Yot**

Die Umgebung und auch der Nationalpark haben sich negativ verändert. Die Sümpfe sind ziemlich kaputt und der Strand ist zugebaut. Wo wir beim letzten Mal zehn Nordmans Greenshank hatten, war jetzt ein Restaurant und überall Menschen. Schade.

Lesser Whistling Duck (*Dendrocygna javanica*)



Cotton Pygmy Goose (*Nettapus coromandelianus*)
 Little Grebe (*Tachybaptus ruficollis*)
 Asian Openbill (*Anastomus oscitans*)
 Little Cormorant (*Phalacrocorax niger*)
 Yellow Bittern (*Ixobrychus sinensis*)
 Grey Heron (*Ardea cinerea*)
 Purple Heron (*Ardea purpurea*)
 Great Egret (*Ardea alba*)
 Intermediate Egret (*Mesophoyx intermedia*)
 Little Egret (*Egretta garzetta*)
 Pacific Reef Heron (*Egretta sacra*)
 Cattle Egret (*Bubulcus ibis*)
 Chinese Pond Heron (*Ardeola bacchus*)
 Black Baza (*Aviceda leuphotes*)
 Eastern Marsh Harrier (*Circus spilonotus*)
 Shikra (*Accipiter badius*)
 Watercock (*Gallixrex cinerea*)
 Black-backed Swamphen (*Porphyrio indicus*)

Common Moorhen (*Gallinula chloropus*)
 Black-winged Stilt (*Himantopus himantopus*)
 Pacific Golden Plover (*Pluvialis fulva*)
 Grey-headed Lapwing (*Vanellus cinereus*)
 Red-wattled Lapwing (*Vanellus indicus*)
 Lesser Sand Plover (*Charadrius mongolus*)
 Greater Sand Plover (*Charadrius leschenaultii*)
 Malaysian Plover (*Charadrius peronii*)
 Kentish Plover (*Charadrius alexandrinus*)
 Pheasant-tailed Jacana (*Hydrophasianus chirurgus*)
 Bronze-winged Jacana (*Metopidius indicus*)
 Terek Sandpiper (*Xenus cinereus*)
 Common Sandpiper (*Actitis hypoleucos*)
 Spotted Redshank (*Tringa erythropus*)



Common Greenshank (*Tringa nebularia*)
 Marsh Sandpiper (*Tringa stagnatilis*)
 Wood Sandpiper (*Tringa glareola*)
 Common Redshank (*Tringa totanus*)
 Eurasian Curlew (*Numenius arquata*)

Temminck's Stint (*Calidris temminckii*)
 Oriental Pratincole (*Glaucopelia maldivarum*)
 Black-headed Gull (*Chroicocephalus ridibundus*)
 Brown-headed Gull (*Chroicocephalus brunnicephalus*)
 Little Tern (*Sternula albifrons*)
 Gull-billed Tern (*Gelochelidon nilotica*)
 Whiskered Tern (*Chlidonias hybrida*)
 Great Crested Tern (*Thalasseus bergii*)
 Red Collared Dove (*Streptopelia tranquebarica*)
 Spotted Dove (*Streptopelia chinensis*)
 Zebra Dove (*Geopelia striata*)
 Asian Koel (*Eudynamis scolopacea*)
 Green-billed Malkoha (*Phaenicophaeus tristis*)
 Greater Coucal (*Centropus sinensis*)
 Lesser Coucal (*Centropus bengalensis*)
 Himalayan Swiftlet (*Aerodramus brevirostris*)
 Asian Palm Swift (*Cypsiurus balasiensis*)
 Eurasian Hoopoe (*Upupa epops*)
 White-throated Kingfisher (*Halcyon smyrnensis*)



Black-capped Kingfisher (*Halcyon pileata*)
 Collared Kingfisher (*Todiramphus chloris*)
 Pied Kingfisher (*Ceryle rudis*)
 Green Bee-eater (*Merops orientalis*)
 Chestnut-headed Bee-eater (*Merops leschenaulti*)
 Indian Roller (*Coracias benghalensis*)
 Dollarbird (*Eurystomus orientalis*)
 Ashy Woodswallow (*Artamus fuscus*)
 Common Iora (*Aegithina tiphia*)
 Brown Shrike (*Lanius cristatus*)



Black Drongo (*Dicrurus macrocercus*)
 Hair-crested Drongo (*Dicrurus hottentottus*)
 Greater Racket-tailed Drongo (*Dicrurus paradiseus*)
 Blyth's Paradise Flycatcher (*Terpsiphone affinis*)
 Large-billed Crow (*Corvus macrorhynchos*)
 Barn Swallow (*Hirundo rustica*)
 Red-rumped Swallow (*Cecropis daurica*)
 Asian House Martin (*Delichon dasypus*)
 Stripe-throated Bulbul (*Pycnonotus finlaysoni*)
 Yellow-vented Bulbul (*Pycnonotus goiavier*)
 Streak-eared Bulbul (*Pycnonotus blanfordi*)
 Thick-billed Warbler (*Iduna aedon*)
 Oriental Reed Warbler (*Acrocephalus orientalis*)
 Common Tailorbird (*Orthotomus sutorius*)
 Yellow-bellied Prinia (*Prinia flaviventris*)
 Brown-streaked Flycatcher (*Muscicapa williamsoni*)
 Oriental Magpie-robin (*Copsychus saularis*)
 Taiga Flycatcher (*Ficedula albicilla*)
 Siberian Stonechat (*Saxicola maurus*)
 Asian Pied Starling (*Gracupica contra*)
 Common Myna (*Acridotheres tristis*)
 Vinous-breasted Starling (*Acridotheres burmannicus*)
 Great Myna (*Acridotheres grandis*)
 Plain Sunbird (*Anthreptes simplex*)
 Eastern Yellow Wagtail (*Motacilla tschutschensis*)
 Grey Wagtail (*Motacilla cinerea*)
 Paddyfield Pipit (*Anthus rufulus*)
 Plain-backed Sparrow (*Passer flaveolus*)
 Eurasian Tree Sparrow (*Passer montanus*)
 Scaly-breasted Munia (*Lonchura punctulata*)
 Chestnut Munia (*Lonchura atricapilla*)

Die lange Fahrt nach Surat Thani war stressfrei. Wir fanden ein nettes Hotel

https://www.tripadvisor.de/Hotel_Review-g297917-d735510-Reviews-100_Islands_Resort_Spa-Surat_Thani_Surat_Thani_Province.html und das Essen im Hof davor war exzellent.

- **06.03. bis 09.03. - Krung Ching und Khao Nor Chu Chi**

Die Strecke nach Nakhon Si Thammarat und auch die Hotelsuche war schnell erledigt und so fuhren wir am 06.03. noch kurz zum Krung Ching, um uns am nächsten Tag dort besser zu orientieren. Ein eindrucksvolles Gebiet. Trotz Hitze sehr gute Beobachtungen, insbesondere die sehr lange und gute Betrachtung des Green Broadbill.

Den folgenden Tag verbrachten wir im Gebiet bzw. der Umgebung.

Am 08.03. fuhren wir dann über Nebenstrecken nach Khao Nor Chu Chi. Die Frauen betreiben immer noch das Morakot Resort; es ist größer und komfortabler geworden. Nach einer kurzen Ruhepause fuhren wir dann ins eigentliche Zielgebiet und waren erschüttert: Auf dem Weg viele Resorts und alles voller Menschen und Buden. Am Rand und weiter ins Farmgebiet rein gelangen dann aber einige nette Beobachtungen. Zum länger bleiben reizte es uns nicht.

Little Cormorant (*Phalacrocorax niger*)
 Little Egret (*Egretta garzetta*)
 Cattle Egret (*Bubulcus ibis*)
 Chinese Pond Heron (*Ardeola bacchus*)
 Crested Serpent Eagle (*Spilornis cheela*)
 Changeable Hawk-eagle (*Nisaetus limnaeetus*)
 Steppe Eagle (*Aquila nipalensis*)
 Shikra (*Accipiter badius*)
 Black Kite (*Milvus migrans*)



Red Collared Dove (*Streptopelia tranquebarica*)
 Spotted Dove (*Streptopelia chinensis*)
 Zebra Dove (*Geopelia striata*)
 Thick-billed Pigeon (*Treron curvirostra*)
 Asian Koel (*Eudynamys scolopaceus*)



Green-billed Malkoha (*Phaenicophaeus tristis*)
 Raffles's Malkoha (*Phaenicophaeus chlorophaeus*)
 Greater Coucal (*Centropus sinensis*)
 Himalayan Swiftlet (*Aerodramus brevirostris*)
 Asian Palm Swift (*Cypsiurus balasiensis*)
 Whiskered Treeswift (*Hemiprocne comata*)
 White-throated Kingfisher (*Halcyon smyrnensis*)
 Collared Kingfisher (*Todiramphus chloris*)
 Indian Roller (*Coracias benghalensis*)
 Dollarbird (*Eurystomus orientalis*)
 Red-throated Barbet (*Psilopogon mystacophanos*)
 Green Broadbill (*Calyptomena viridis*)

Mangrove Pitta (*Pitta megarhyncha*)
 Brown Shrike (*Lanius cristatus*)
 Lesser Racket-tailed Drongo (*Dicrurus remifer*)
 Blyth's Paradise Flycatcher (*Terpsiphone affinis*)
 Large-billed Crow (*Corvus macrorhynchos*)



Barn Swallow (*Hirundo rustica*)
 Pacific Swallow (*Hirundo tahitica*)
 Red-rumped Swallow (*Cecropis daurica*)
 Asian House Martin (*Delichon dasypus*)
 Black-headed Bulbul (*Pycnonotus atriceps*)
 Black-crested Bulbul (*Pycnonotus flaviventris*)
 Scaly-breasted Bulbul (*Pycnonotus squamatus*)
 Grey-bellied Bulbul (*Pycnonotus cyaniventris*)
 Stripe-throated Bulbul (*Pycnonotus finlaysoni*)
 Yellow-vented Bulbul (*Pycnonotus goiavier*)
 Red-eyed Bulbul (*Pycnonotus brunneus*)
 Yellow-bellied Bulbul (*Alophoixus phaeocephalus*)
 Streaked Bulbul (*Ixos malaccensis*)
 Common Tailorbird (*Orthotomus sutorius*)
 Dark-necked Tailorbird (*Orthotomus atrogularis*)
 Asian Fairy-bluebird (*Irena puella*)
 Asian Brown Flycatcher (*Muscicapa latirostris*)
 Oriental Magpie-robin (*Copsychus saularis*)
 Orange-headed Thrush (*Geokichla citrina*)
 Common Myna (*Acridotheres tristis*)
 Jungle Myna (*Acridotheres fuscus*)
 Great Myna (*Acridotheres grandis*)
 Greater Green Leafbird (*Chloropsis sonnerati*)
 Lesser Green Leafbird (*Chloropsis cyanopogon*)
 Crimson-breasted Flowerpecker (*Prionochilus percussus*)
 Scarlet-backed Flowerpecker (*Dicaeum cruentatum*)
 Ruby-checked Sunbird (*Chalcoparia singalensis*)
 Plain Sunbird (*Anthreptes simplex*)
 Spectacled Spiderhunter (*Arachnothera flavigaster*)
 Grey Wagtail (*Motacilla cinerea*)
 Eurasian Tree Sparrow (*Passer montanus*)

Am 09.03. ging es dann über Krabi (dort nur ein kurzer Beobachtungsstopps - es war kein Zimmer zu kriegen) ins Touristenzentrum Khao Lak. Es gab viele Unterkunftsmöglichkeiten, die Wahl wurde nach der frühesten Frühstückszeit und den meisten einheimischen Wagen getroffen <http://www.happylagoon-khaolak.com/about.html>. Das Abendessen war gut.

- **10.03. bis 13.03. - Leam Parang, Khao Sok NP und Umgebung**

Das frühe Frühstück klappte nicht, aber man war bemüht nachdem wir uns bemerkbar machten. Vormittags waren wir an der Küste (fast keine Leute, aber viele Limikolen und so viele Tereks zusammen hatten wir noch nie gesehen) und am Nachmittag guckten wir in den Khao Sok NP - dort mieteten wir uns nach der zweiten Nacht in Khao Lak auch ein <https://www.booking.com/hotel/th/khao-sok-morning-mist-resort.de.html>. Es waren dort gute Wanderungen möglich, wenn auch durch die Hitze etwas beschwerlich.

Little Cormorant (*Phalacrocorax niger*)
 Black Bittern (*Ixobrychus flavicollis*)
 Grey Heron (*Ardea cinerea*)
 Great Egret (*Ardea alba*)
 Intermediate Egret (*Mesophoyx intermedia*)
 Little Egret (*Egretta garzetta*)



Pacific Reef Heron (*Egretta sacra*)
 Cattle Egret (*Bubulcus ibis*)
 Chinese Pond Heron (*Ardeola bacchus*)
 Striated Heron (*Butorides striata*)
 Wallace's Hawk-eagle (*Nisaetus nanus*)
 Shikra (*Accipiter badius*)
 Black Kite (*Milvus migrans*)
 Brahminy Kite (*Haliastur indus*)
 Common Moorhen (*Gallinula chloropus*)
 Grey Plover (*Pluvialis squatarola*)
 Pacific Golden Plover (*Pluvialis fulva*)
 Lesser Sand Plover (*Charadrius mongolus*)
 Kentish Plover (*Charadrius alexandrinus*)



Terek Sandpiper (*Xenus cinereus*)
 Grey-tailed Tattler (*Tringa brevipes*)
 Marsh Sandpiper (*Tringa stagnatilis*)
 Whimbrel (*Numenius phaeopus*)
 Black-tailed Godwit (*Limosa limosa*)
 Bar-tailed Godwit (*Limosa lapponica*)
 Ruddy Turnstone (*Arenaria interpres*)
 Great Knot (*Calidris tenuirostris*)
 Red-necked Stint (*Calidris ruficollis*)
 Sanderling (*Calidris alba*)
 Asian Dowitcher (*Limnodromus semipalmatus*)
 Little Tern (*Sterna albifrons*)
 Black-naped Tern (*Sterna sumatrana*)
 Spotted Dove (*Streptopelia chinensis*)
 Zebra Dove (*Geopelia striata*)
 Square-tailed Drongo-cuckoo (*Surniculus lugubris*)
 Asian Koel (*Eudynamis scolopaceus*)
 Heard Raffles's Malkoha (*Phaenicophaeus chlorophaeus*)
 Chestnut-breasted Malkoha (*Phaenicophaeus curvirostris*)
 Greater Coucal (*Centropus sinensis*)
 Silver-rumped Needletail (*Rhaphidura leucopygialis*)

Glossy Swiftlet (*Collocalia esculenta*)
 Himalayan Swiftlet (*Aerodramus brevirostris*)
 Asian Palm Swift (*Cypsiurus balasiensis*)
 Eurasian Hoopoe (*Upupa epops*)
 Common Kingfisher (*Alcedo atthis*)
 White-throated Kingfisher (*Halcyon smyrnensis*)
 Blue-throated Bee-eater (*Merops viridis*)
 Blue-tailed Bee-eater (*Merops philippinus*)
 Chestnut-headed Bee-eater (*Merops leschenaulti*)



Indian Roller (*Coracias benghalensis*)
 Dollarbird (*Eurystomus orientalis*)
 Grey-and-buff Woodpecker (*Hemicircus concretus*)
 Vernal Hanging Parrot (*Loriculus vernalis*)



Black-and-red Broadbill (*Cymbirhynchus macrorhynchus*)
 Brown Shrike (*Lanius cristatus*)
 Black Drongo (*Dicrurus macrocercus*)
 Ashy Drongo (*Dicrurus leucophaeus*)
 Lesser Racket-tailed Drongo (*Dicrurus remifer*)
 Large-billed Crow (*Corvus macrorhynchus*)
 Dusky Crag Martin (*Ptyonoprogne concolor*)
 Barn Swallow (*Hirundo rustica*)
 Pacific Swallow (*Hirundo tahitica*)
 Red-rumped Swallow (*Cecropis daurica*)
 Grey-headed Canary-flycatcher (*Culicicapa ceylonensis*)
 Black-crested Bulbul (*Pycnonotus flaviventris*)
 Grey-bellied Bulbul (*Pycnonotus cyaniventris*)
 Yellow-vented Bulbul (*Pycnonotus goiavier*)
 Cream-vented Bulbul (*Pycnonotus simplex*)
 Spectacled Bulbul (*Pycnonotus erythrophthalmos*)
 Ochraceous Bulbul (*Alophoixus ochraceus*)
 Dusky Warbler (*Phylloscopus fuscatus*)
 Arctic Warbler (*Phylloscopus borealis*)
 Eastern Crowned Warbler (*Phylloscopus coronatus*)
 Common Tailorbird (*Orthotomus sutorius*)
 Dark-necked Tailorbird (*Orthotomus atrogularis*)
 Rufous-tailed Tailorbird (*Orthotomus sericeus*)
 Grey-headed Babbler (*Stachyris poliocephala*)
 Asian Brown Flycatcher (*Muscicapa latirostris*)
 Brown-streaked Flycatcher (*Muscicapa williamsoni*)
 Oriental Magpie-robin (*Copsychus saularis*)

Siberian Blue Robin (*Larvivora cyane*)
 Blue Whistling Thrush (*Myiophonus caeruleus*)
 Taiga Flycatcher (*Ficedula albicilla*)
 Asian Glossy Starling (*Aplonis panayensis*)
 Common Myna (*Acridotheres tristis*)
 Great Myna (*Acridotheres grandis*)
 Lesser Green Leafbird (*Chloropsis cyanopogon*)

Blue-winged Leafbird (*Chloropsis cochinchinensis*)
 Orange-bellied Flowerpecker (*Dicaeum trigonostigma*)
 Scarlet-backed Flowerpecker (*Dicaeum cruentatum*)
 Plain-throated Sunbird (*Anthreptes malacensis*)
 Olive-backed Sunbird (*Cinnyris jugularis*)
 Grey Wagtail (*Motacilla cinerea*)
 Eurasian Tree Sparrow (*Passer montanus*)


• **14.03. bis 18.03. - Weg nach und im Kaeng Krachan NP**

Über Khao Sam Roi Yot führen wir ins Kaeng Krachan Gebiet und fanden mit einiger Mühe das Ban Maka Resort <http://www.baanmaka.com/>. Es wird für und von Birdern empfohlen. Schöne Zimmer und auch ein gutes und frühes Frühstück; der Weg zum Park ist nicht weit.



Im Park sind die Beobachtungsmöglichkeiten immer noch super. Auffällig waren viele einheimische Fotografen - bei einigen Spechten haben wir von ihnen profitiert.

Cotton Pygmy Goose (*Nettapus coromandelianus*)
 Red Junglefowl (*Gallus gallus*)
 Kalij Pheasant (*Lophura leucomelanos*)
 Little Grebe (*Tachybaptus ruficollis*)
 Asian Openbill (*Anastomus oscitans*)



Little Cormorant (*Phalacrocorax niger*)
 Grey Heron (*Ardea cinerea*)
 Purple Heron (*Ardea purpurea*)
 Great Egret (*Ardea alba*)
 Intermediate Egret (*Mesophox intermedia*)
 Little Egret (*Egretta garzetta*)
 Pacific Reef Heron (*Egretta sacra*)
 Cattle Egret (*Bubulcus ibis*)
 Chinese Pond Heron (*Ardeola bacchus*)
 Oriental Honey Buzzard (*Pernis ptilorhynchus*)
 Crested Serpent Eagle (*Spilornis cheela*)
 Changeable Hawk-eagle (*Nisaetus limnaeetus*)
 Grey-faced Buzzard (*Butastur indicus*)
 Shikra (*Accipiter badius*)
 Besra (*Accipiter virgatus*)
 Black Kite (*Milvus migrans*)

Brahminy Kite (*Haliastur indus*)
 White-bellied Sea Eagle (*Haliaeetus leucogaster*)
 White-breasted Waterhen (*Amaurornis phoenicurus*)
 Ruddy-breasted Crake (*Porzana fusca*)
 Common Moorhen (*Gallinula chloropus*)
 Black-winged Stilt (*Himantopus himantopus*)
 Pacific Golden Plover (*Pluvialis fulva*)
 Red-wattled Lapwing (*Vanellus indicus*)
 Lesser Sand Plover (*Charadrius mongolus*)
 Greater Sand Plover (*Charadrius leschenaultii*)
 Malaysian Plover (*Charadrius peronii*)
 Kentish Plover (*Charadrius alexandrinus*)
 Little Ringed Plover (*Charadrius dubius*)
 Terek Sandpiper (*Xenus cinereus*)
 Common Sandpiper (*Actitis hypoleucos*)
 Spotted Redshank (*Tringa erythropus*)
 Common Greenshank (*Tringa nebularia*)
 Marsh Sandpiper (*Tringa stagnatilis*)
 Wood Sandpiper (*Tringa glareola*)
 Common Redshank (*Tringa totanus*)
 Eurasian Curlew (*Numenius arquata*)
 Black-tailed Godwit (*Limosa limosa*)
 Sharp-tailed Sandpiper (*Calidris acuminata*)
 Red-necked Stint (*Calidris ruficollis*)
 Common Snipe (*Gallinago gallinago*)
 Oriental Pratincole (*Glareola maldivarum*)
 Little Tern (*Sternula albifrons*)
 Gull-billed Tern (*Gelochelidon nilotica*)
 Black-naped Tern (*Sterna sumatrana*)
 Common Tern (*Sterna hirundo*)
 Great Crested Tern (*Thalasseus bergii*)
 Lesser Crested Tern (*Thalasseus bengalensis*)
 Red Collared Dove (*Streptopelia tranquebarica*)


Spotted Dove (*Streptopelia chinensis*)
 Emerald Dove (*Chalcophaps indica*)
 Zebra Dove (*Geopelia striata*)
 Thick-billed Pigeon (*Treron curvirostra*)
 Violet Cuckoo (*Chrysococcyx xanthorhynchus*)



Asian Koel (*Eudynamis scolopaceus*)
 Green-billed Malkoha (*Phaenicophaeus tristis*)
 Lesser Coucal (*Centropus bengalensis*)
 White-fronted Scops Owl (*Otus sagittatus*)
 Himalayan Swiftlet (*Aerodramus brevirostris*)
 Pacific Swift (*Apus pacificus*)
 House Swift (*Apus nipalensis*)
 Asian Palm Swift (*Cypsiurus balasiensis*)
 Orange-breasted Trogon (*Harpactes oreskios*) Heard
 Eurasian Hoopoe (*Upupa epops*)
 Great Hornbill (*Buceros bicornis*)
 Common Kingfisher (*Alcedo atthis*)
 White-throated Kingfisher (*Halcyon smyrnensis*)
 Black-capped Kingfisher (*Halcyon pileata*)
 Collared Kingfisher (*Todiramphus chloris*)



Green Bee-eater (*Merops orientalis*)
 Chestnut-headed Bee-eater (*Merops leschenaulti*)
 Indian Roller (*Coracias benghalensis*)
 Dollarbird (*Eurystomus orientalis*)
 Coppersmith Barbet (*Psilopogon haemacephalus*)
 Blue-eared Barbet (*Psilopogon duvaucelii*)
 Green-eared Barbet (*Psilopogon faiostriatus*)



Crimson-winged Woodpecker (*Picus puniceus*)



Black-and-buff Woodpecker (*Meiglyptes jugularis*)
 Greater Flameback (*Chrysocolaptes guttacristatus*)
 Grey-and-buff Woodpecker (*Hemicircus concretus*)



Black-and-yellow Broadbill (*Eurylaimus ochromalus*)



Ashy Woodswallow (*Artamus fuscus*)
 Common Iora (*Aegithina tiphia*)
 Green Iora (*Aegithina viridissima*)
 Great Iora (*Aegithina lafresnayei*)
 Scarlet Minivet (*Pericrocotus speciosus*)
 Brown Shrike (*Lanius cristatus*)
 Black-naped Oriole (*Oriolus chinensis*)
 Black-hooded Oriole (*Oriolus xanthornus*)
 Black Drongo (*Dicrurus macrocerus*)
 Ashy Drongo (*Dicrurus leucophaeus*)
 Crow-billed Drongo (*Dicrurus annectans*)
 Bronzed Drongo (*Dicrurus aeneus*)
 Lesser Racket-tailed Drongo (*Dicrurus remifer*)
 Hair-crested Drongo (*Dicrurus hottentottus*)
 Greater Racket-tailed Drongo (*Dicrurus paradiseus*)
 Malaysian Pied Fantail (*Rhipidura javanica*)
 Crested Jay (*Platylophus galericulatus*)
 Black Magpie (*Platysmurus leucopterus*)
 Racket-tailed Treepie (*Crypsirina temia*)
 Large-billed Crow (*Corvus macrorhynchos*)
 Indochinese Bushlark (*Mirafra erythrocephala*)
 Barn Swallow (*Hirundo rustica*)
 Pacific Swallow (*Hirundo tahitica*)
 Red-rumped Swallow (*Cecropis daurica*)
 Grey-headed Canary-flycatcher (*Culicicapa ceylonensis*)
 Black-headed Bulbul (*Pycnonotus atriceps*)
 Black-crested Bulbul (*Pycnonotus flaviventris*)

Sooty-headed Bulbul (*Pycnonotus aurigaster*)
 Streak-eared Bulbul (*Pycnonotus blanfordi*)
 Ochraceous Bulbul (*Alophoixus ochraceus*)
 Two-barred Warbler (*Phylloscopus plumbeitarsus*)
 Dark-necked Tailorbird (*Orthotomus atrogularis*)
 Black-throated Laughingthrush (*Ianthocincla chinensis*)
 Asian Fairy-bluebird (*Irena puella*)
 Asian Brown Flycatcher (*Muscicapa latirostris*)
 Oriental Magpie-robin (*Copsychus saularis*)
 White-rumped Shama (*Copsychus malabaricus*)
 Hainan Blue Flycatcher (*Cyornis hainanus*)
 Hill Blue Flycatcher (*Cyornis banyumas*)
 Brown-chested Jungle Flycatcher (*Cyornis brunneatus*)



Taiga Flycatcher (*Ficedula albicilla*)
 Common Hill Myna (*Gracula religiosa*)



Asian Pied Starling (*Gracupica contra*)
 White-shouldered Starling (*Sturnia sinensis*)
 Common Myna (*Acridotheres tristis*)
 Great Myna (*Acridotheres grandis*)
 Greater Green Leafbird (*Chloropsis sonnerati*)
 Olive-backed Sunbird (*Cinnyris jugularis*)
 Crimson Sunbird (*Aethopyga siparaja*)
 Forest Wagtail (*Dendronanthus indicus*)
 Eastern Yellow Wagtail (*Motacilla tschutschensis*)
 Grey Wagtail (*Motacilla cinerea*)
 White Wagtail (*Motacilla alba*)
 Paddyfield Pipit (*Anthus rufulus*)
 House Sparrow (*Passer domesticus*)
 Plain-backed Sparrow (*Passer flaveolus*)
 Eurasian Tree Sparrow (*Passer montanus*)
 Chestnut Munia (*Lonchura atricapilla*)

Um zum Doi Inthanon zu kommen, mussten wir durch Bangkok fahren und stellten die Veränderungen der Stadt, aber auch der Umgebung fest. Es ist jetzt alles bebaut, auch dort, wo man früher noch Vögel am Weg sehen konnte.

Das Inthanon Highland Resort <http://www.inthanonhighlandresort.com/> kannten wir von früheren Aufenthalten; das Restaurant ist besser geworden. Die Lage ist sehr günstig.

- **19.03. bis 22.03. - Doi Inthanon**

Wir fahren jeden Tag sehr früh und langsam zum Gipfel. Gegen Mittag kamen dann recht viele Leute nach oben und machten z. T. auch viel Lärm.




Rufous-throated Partridge (*Arborophila rufogularis*)
 Asian Openbill (*Anastomus oscitans*)
 Great Egret (*Ardea alba*)
 Little Egret (*Egretta garzetta*)
 Cattle Egret (*Bubulcus ibis*)
 Chinese Pond Heron (*Ardeola bacchus*)
 Black-shouldered Kite (*Elanus caeruleus*)
 Crested Goshawk (*Accipiter trivirgatus*)
 Shikra (*Accipiter badius*)
 Black Kite (*Milvus migrans*)
 Black-tailed Crake (*Amauornis bicolor*)
 Ruddy-breasted Crake (*Porzana fusca*)
 Common Moorhen (*Gallinula chloropus*)
 Black-winged Stilt (*Himantopus himantopus*)
 Red-wattled Lapwing (*Vanellus indicus*)
 Little Ringed Plover (*Charadrius dubius*)
 Greater Painted-snipe (*Rostratula benghalensis*)
 Common Greenshank (*Tringa nebularia*)



Eurasian Woodcock (*Scolopax rusticola*)
 Oriental Pratincole (*Glareola maldivarum*)
 Red Collared Dove (*Streptopelia tranquebarica*)
 Spotted Dove (*Streptopelia chinensis*)
 Zebra Dove (*Geopelia striata*)



Mountain Imperial Pigeon (*Ducula badia*)
 Asian Koel (*Eudynamys scolopaceus*)
 Greater Coucal (*Centropus sinensis*)



Asian Barred Owlet (*Glaucidium cuculoides*)
 Pacific Swift (*Apus pacificus*)
 House Swift (*Apus nipalensis*)
 Asian Palm Swift (*Cypsiurus balasiensis*)
 Eurasian Hoopoe (*Upupa epops*)
 Common Kingfisher (*Alcedo atthis*)
 White-throated Kingfisher (*Halcyon smyrnensis*)
 Chestnut-headed Bee-eater (*Merops leschenaulti*)
 Indian Roller (*Coracias benghalensis*)
 Blue-eared Barbet (*Psilopogon duvaucelii*)
 Green-eared Barbet (*Psilopogon faiostriatus*)
 Lineated Barbet (*Psilopogon lineatus*)
 Golden-throated Barbet (*Psilopogon franklinii*)
 Blossom-headed Parakeet (*Psittacula roseata*)
 Ashy Woodswallow (*Artamus fuscus*)



Brown Shrike (*Lanius cristatus*)
 Burmese Shrike (*Lanius collurio*)
 Long-tailed Shrike (*Lanius schach*)
 Black Drongo (*Dicrurus macrocercus*)
 Ashy Drongo (*Dicrurus leucophaeus*)
 Hair-crested Drongo (*Dicrurus hottentottus*)
 Greater Racket-tailed Drongo (*Dicrurus paradiseus*)
 Large-billed Crow (*Corvus macrorhynchos*)
 Barn Swallow (*Hirundo rustica*)
 Yellow-cheeked Tit (*Machlolophus spilonotus*)
 Chestnut-bellied Nuthatch (*Sitta cinnamoventris*)
 Black-crested Bulbul (*Pycnonotus flaviventris*)
 Red-whiskered Bulbul (*Pycnonotus jocosus*)
 Sooty-headed Bulbul (*Pycnonotus aurigaster*)
 White-headed Bulbul (*Hypsipetes thompsoni*)
 Mountain Bulbul (*Ixos mcclllandii*)
 Pygmy Cupwing (*Pnoepyga pusilla*)
 Buff-barred Warbler (*Phylloscopus pulcher*)
 Ashy-throated Warbler (*Phylloscopus maculipennis*)
 Greenish Warbler (*Phylloscopus trochiloides*)
 Blyth's Leaf Warbler (*Phylloscopus reguloides*)
 Zitting Cisticola (*Cisticola juncidis*)
 Common Tailorbird (*Orthotomus sutorius*)
 Chestnut-flanked White-eye (*Zosterops erythropleurus*)
 Grey-throated Babbler (*Stachyris nigriceps*)
 Rufous-winged Fulvetta (*Schoeniparus castaneiceps*)
 Yunnan Fulvetta (*Alcippe fratercula*)



Silver-eared Laughingthrush (*Trochalopteron melanostigma*)

Black-backed Sibia (*Heterophasia melanoleuca*)

Long-tailed Sibia (*Heterophasia picaoides*)

Chestnut-tailed Minla (*Actinodura strigula*)

Oriental Magpie-robin (*Copsychus saularis*)

Large Niltava (*Niltava grandis*)

Rufous-bellied Niltava (*Niltava sundara*)

Blue-and-white Flycatcher (*Cyanoptila cyanomelana*)

Verditer Flycatcher (*Eumyias thalassinus*)

White-browed Shortwing (*Brachypteryx montana*)

Siberian Blue Robin (*Larvivora cyane*)

Blue Whistling Thrush (*Myophonus caeruleus*)

Snowy-browed Flycatcher (*Ficedula hyperythra*)

Taiga Flycatcher (*Ficedula albicilla*)

Blue Rock Thrush (*Monticola solitarius*)

Siberian Stonechat (*Saxicola maurus*)

Pied Bushchat (*Saxicola caprata*)

Grey Bushchat (*Saxicola ferreus*)

Black-collared Starling (*Gracupica nigricollis*)

Chestnut-tailed Starling (*Sturnia malabarica*)

Common Myna (*Acridotheres tristis*)

Great Myna (*Acridotheres grandis*)

Golden-fronted Leafbird (*Chloropsis aurifrons*)

Scarlet-backed Flowerpecker (*Dicaeum cruentatum*)

Olive-backed Sunbird (*Cinnyris jugularis*)

Green-tailed Sunbird (*Aethopyga nipalensis*)

Citrine Wagtail (*Motacilla citreola*)

Grey Wagtail (*Motacilla cinerea*)

Paddyfield Pipit (*Anthus rufulus*)

House Sparrow (*Passer domesticus*)

Eurasian Tree Sparrow (*Passer montanus*)

Baya Weaver (*Ploceus philippinus*)

Scaly-breasted Munia (*Lonchura punctulata*)

Am späten Vormittag fahren wir dann nach Thaton. Dort sind wir wieder im RiverViewResort <https://thaton-riverview-resort.chiangmai-chiangrai.com/> geblieben.

- **23.03. bis 26.03. - ThaThon und Chiang Saen**

Wir erkundeten die Felder und die Umgebung von Thaton in zwei Tagen.

Die Fahrt nach Chiang Saen dauerte nicht lang. Wir sind im Viang Yonnok Hotel geblieben. Die Zeiten für Frühstück (spät) und Abendessen (früh) sind aber ungünstig. In knapp einer Stunde Entfernung ist Wat Bamakno - der Weihenschlafplatz http://www.norththailandbirding.com/pages/localities/chiang_saen.html. Der Platz war sehr schwer zu finden, aber ungeheuer eindrucksvoll. Die Weihen kommen erst mit der Dämmerung.





Lesser

Whistling Duck (*Dendrocygna javanica*)
 Comb Duck (*Sarkidiornis melanotos*)
 Mallard (*Anas platyrhynchos*)
 Indian Spot-billed Duck (*Anas poecilorhyncha*)
 Ferruginous Duck (*Aythya nyroca*)
 Red Junglefowl (*Gallus gallus*)
 Little Grebe (*Tachybaptus ruficollis*)
 Asian Openbill (*Anastomus oscitans*)
 Great Cormorant (*Phalacrocorax carbo*)
 Cinnamon Bittern (*Ixobrychus cinnamomeus*)
 Grey Heron (*Ardea cinerea*)
 Purple Heron (*Ardea purpurea*)
 Great Egret (*Ardea alba*)
 Intermediate Egret (*Mesophoyx intermedia*)
 Little Egret (*Egretta garzetta*)
 Cattle Egret (*Bubulcus ibis*)



Chinese Pond Heron (*Ardeola bacchus*)
 Striated Heron (*Butorides striata*)
 Osprey (*Pandion haliaetus*)
 Black-shouldered Kite (*Elanus caeruleus*)
 Oriental Honey Buzzard (*Pernis ptilorhynchus*)
 Rufous-winged Buzzard (*Butastur liventer*)
 Eastern Marsh Harrier (*Circus spilonotus*)
 Northern Harrier (*Circus cyaneus*)
 Pied Harrier (*Circus melanoleucos*)
 Shikra (*Accipiter badius*)
 White-breasted Waterhen (*Amaurornis phoenicurus*)
 Baillon's Crake (*Porzana pusilla*)
 Grey-headed Swampphen (*Porphyrio poliocephalus*)
 Common Moorhen (*Gallinula chloropus*)
 Common Coot (*Fulica atra*)
 Black-winged Stilt (*Himantopus himantopus*)
 Pacific Golden Plover (*Pluvialis fulva*)
 River Lapwing (*Vanellus duvaucelii*)
 Grey-headed Lapwing (*Vanellus cinereus*)
 Red-wattled Lapwing (*Vanellus indicus*)
 Little Ringed Plover (*Charadrius dubius*)
 Greater Painted-snipe (*Rostratula benghalensis*)
 Pheasant-tailed Jacana (*Hydrophasianus chirurgus*)
 Common Sandpiper (*Actitis hypoleucos*)

Green Sandpiper (*Tringa ochropus*)
 Common Greenshank (*Tringa nebularia*)
 Temminck's Stint (*Calidris temminckii*)
 Common Snipe (*Gallinago gallinago*)
 Pin-tailed Snipe (*Gallinago stenura*)
 Small Pratincole (*Glareola lactea*)
 Oriental Turtle Dove (*Streptopelia orientalis*)
 Red Collared Dove (*Streptopelia tranquebarica*)
 Spotted Dove (*Streptopelia chinensis*)
 Barred Cuckoo-dove (*Macropygia unchall*)
 Zebra Dove (*Geopelia striata*)
 Pin-tailed Pigeon (*Treron apicauda*)
 Asian Koel (*Eudynamis scolopaceus*)
 Green-billed Malkoha (*Phaenicophaeus tristis*)
 Greater Coucal (*Centropus sinensis*)
 Lesser Coucal (*Centropus bengalensis*)
 Himalayan Swiftlet (*Aerodramus brevirostris*)
 House Swift (*Apus nipalensis*)
 Asian Palm Swift (*Cypsiurus balasienis*)
 Common Kingfisher (*Alcedo atthis*)
 White-throated Kingfisher (*Halcyon smyrnensis*)
 Green Bee-eater (*Merops orientalis*)
 Chestnut-headed Bee-eater (*Merops leschenaulti*)
 Great Barbet (*Psilopogon virens*)
 Lineated Barbet (*Psilopogon lineatus*)
 Eurasian Wryneck (*Jynx torquilla*)
 Common Kestrel (*Falco tinnunculus*)
 Ashy Woodswallow (*Artamus fuscus*)
 Common Iora (*Aegithina tiphia*)
 Indochinese Cuckooshrike (*Lalage polioptera*)
 Brown Shrike (*Lanius cristatus*)



Burmese Shrike (*Lanius collurioideus*)
 Long-tailed Shrike (*Lanius schach*)
 Black Drongo (*Dicrurus macrocerus*)
 Ashy Drongo (*Dicrurus leucophaeus*)
 Bronzed Drongo (*Dicrurus aeneus*)
 Hair-crested Drongo (*Dicrurus hottentottus*)
 Grey Treepie (*Dendrocitta formosae*)
 Racket-tailed Treepie (*Crypsirina temia*)
 Barn Swallow (*Hirundo rustica*)
 Wire-tailed Swallow (*Hirundo smithii*)
 Red-rumped Swallow (*Cecropis daurica*)
 Cinereous Tit (*Parus cinereus*)
 Sooty-headed Bulbul (*Pycnonotus aurigaster*)
 Mountain Bulbul (*Ixos mccllellandii*)
 Dusky Warbler (*Phylloscopus fuscatus*)
 Zitting Cisticola (*Cisticola juncidis*)
 Common Tailorbird (*Orthotomus sutorius*)
 Plain Prinia (*Prinia inornata*)
 Lesser Whitethroat (*Sylvia curruca*)
 White-necked Laughingthrush (*Garrulax strepitans*)
 Black-backed Sibia (*Heterophasia melanoleuca*)
 Oriental Magpie-robin (*Copsychus saularis*)

Siberian Blue Robin (*Larvivora cyane*)
 Bluethroat (*Luscinia svecica*)
 Blue Whistling Thrush (*Myophonus caeruleus*)
 Siberian Rubythroat (*Calliope calliope*)
 Taiga Flycatcher (*Ficedula albicilla*)
 Siberian Stonechat (*Saxicola maurus*)
 Pied Bushchat (*Saxicola caprata*)



Grey Bushchat (*Saxicola ferreus*)
 Black-collared Starling (*Gracupica nigricollis*)
 Chestnut-tailed Starling (*Sturnia malabarica*)
 Common Myna (*Acridotheres tristis*)
 Great Myna (*Acridotheres grandis*)
 Purple Sunbird (*Cinnyris asiaticus*)
 Eastern Yellow Wagtail (*Motacilla tschutschensis*)



Citrine Wagtail (*Motacilla citreola*)
 Richard's Pipit (*Anthus richardi*)
 Paddyfield Pipit (*Anthus rufulus*)
 Red-throated Pipit (*Anthus cervinus*)
 Little Bunting (*Emberiza pusilla*)
 Black-faced Bunting (*Emberiza spodocephala*)
 House Sparrow (*Passer domesticus*)
 Eurasian Tree Sparrow (*Passer montanus*)
 Baya Weaver (*Ploceus philippinus*)
 White-rumped Munia (*Lonchura striata*)
 Scaly-breasted Munia (*Lonchura punctulata*)

Am Vormittag regnete es leicht. Der Weg zum Doi Angkhang war nicht weit und wir blieben wieder im Nature Resort <http://www.mosaic-collection.com/angkhang/>.

• **27.03. bis 30.03. - Doi Angkhang**

Die Umgebung des Resorts und der königliche Garten waren nur wenig besucht und sehr interessant.

Lesser Whistling Duck (*Dendrocygna javanica*)
 Little Grebe (*Tachybaptus ruficollis*)
 Asian Openbill (*Anastomus oscitans*)
 Cinnamon Bittern (*Ixobrychus cinnamomeus*)
 Grey Heron (*Ardea cinerea*)
 Purple Heron (*Ardea purpurea*)
 Great Egret (*Ardea alba*)
 Intermediate Egret (*Mesophoyx intermedia*)
 Little Egret (*Egretta garzetta*)
 Cattle Egret (*Bubulcus ibis*)
 Chinese Pond Heron (*Ardeola bacchus*)
 Osprey (*Pandion haliaetus*)
 Black-shouldered Kite (*Elanus caeruleus*)
 Oriental Honey Buzzard (*Pernis ptilorhynchus*)
 Crested Goshawk (*Accipiter trivirgatus*)
 White-breasted Waterhen (*Amaurornis phoenicurus*)
 Grey-headed Swampphen (*Porphyrio poliocephalus*)
 Common Moorhen (*Gallinula chloropus*)



Black-winged Stilt (*Himantopus himantopus*)

Grey-headed Lapwing (*Vanellus cinereus*)
 Little Ringed Plover (*Charadrius dubius*)
 Pheasant-tailed Jacana (*Hydrophasianus chirurgus*)
 Pin-tailed Snipe (*Gallinago stenura*)
 Oriental Turtle Dove (*Streptopelia orientalis*)
 Spotted Dove (*Streptopelia chinensis*)
 Barred Cuckoo-dove (*Macropygia unchall*)
 Zebra Dove (*Geopelia striata*)
 Himalayan Cuckoo (*Cuculus saturatus*)
 Asian Emerald Cuckoo (*Chrysococcyx maculatus*)
 Asian Koel (*Eudynamis scolopacea*)



Greater Coucal (*Centropus sinensis*)
 Lesser Coucal (*Centropus bengalensis*)
 Pacific Swift (*Apus pacificus*)
 Asian Palm Swift (*Cypsiurus balasiensis*)
 Crested Treeswift (*Hemiprocne coronata*)
 Eurasian Hoopoe (*Upupa epops*)
 White-throated Kingfisher (*Halcyon smyrnensis*)
 Green Bee-eater (*Merops orientalis*)

Lineated Barbet (*Psilopogon lineatus*)
 Blue-throated Barbet (*Psilopogon asiaticus*)
 Heard Stripe-breasted Woodpecker (*Dendrocopos atratus*)
 Ashy Woodswallow (*Artamus fuscus*)
 Common Iora (*Aegithina tiphia*)
 Scarlet Minivet (*Pericrocotus speciosus*)
 Brown Shrike (*Lanius cristatus*)
 Burmese Shrike (*Lanius collurio*)
 Long-tailed Shrike (*Lanius schach*)
 Grey-backed Shrike (*Lanius tephronotus*)
 Black Drongo (*Dicrurus macrocercus*)
 Ashy Drongo (*Dicrurus leucophaeus*)
 White-throated Fantail (*Rhipidura albicollis*)
 Red-billed Blue Magpie (*Urocissa erythrorhyncha*)
 Racket-tailed Treepie (*Crypsirina temia*)
 Large-billed Crow (*Corvus macrorhynchos*)
 Barn Swallow (*Hirundo rustica*)
 Red-rumped Swallow (*Cecropis daurica*)
 Cinereous Tit (*Parus cinereus*)
 Yellow-cheeked Tit (*Machlolophus spilonotus*)
 Chestnut-vented Nuthatch (*Sitta nagaensis*)
 Crested Finchbill (*Spizixos canifrons*)
 Red-whiskered Bulbul (*Pycnonotus jocosus*)
 Brown-breasted Bulbul (*Pycnonotus xanthorrhous*)
 Sooty-headed Bulbul (*Pycnonotus aurigaster*)
 Flavescent Bulbul (*Pycnonotus flavescens*)
 Puff-throated Bulbul (*Alophoixus pallidus*)
 Mountain Bulbul (*Ixos meclellandii*)
 Two-barred Warbler (*Phylloscopus plumbeitarsus*)
 Golden Babbler (*Cyanoderma chrysaeum*)
 White-browed Laughingthrush (*Lanthocincla sannio*)
 Black-backed Sibia (*Heterophasia melanoleuca*)
 Silver-eared Mesia (*Leiothrix argentauris*)

Ferruginous Flycatcher (*Muscicapa ferruginea*)
 Oriental Magpie-robin (*Copsychus saularis*)
 Verditer Flycatcher (*Eumyias thalassinus*)
 Taiga Flycatcher (*Ficedula albicilla*)



Blue Rock Thrush (*Monticola solitarius*)
 Grey Bushchat (*Saxicola ferreus*)
 Black-collared Starling (*Gracupica nigricollis*)
 Chestnut-tailed Starling (*Sturnia malabarica*)
 Common Myna (*Acridotheres tristis*)
 Great Myna (*Acridotheres grandis*)
 Purple Sunbird (*Cinnyris asiaticus*)
 Gould's Sunbird (*Aethopyga gouldiae*)
 Streaked Spiderhunter (*Arachnothera magna*)
 Citrine Wagtail (*Motacilla citreola*)
 Grey Wagtail (*Motacilla cinerea*)
 Richard's Pipit (*Anthus richardi*)
 Olive-backed Pipit (*Anthus hodgsoni*)
 Eurasian Tree Sparrow (*Passer montanus*)
 White-rumped Munia (*Lonchura striata*)
 Scaly-breasted Munia (*Lonchura punctulata*)

An die Khao Yai Garden Lodge <https://www.agoda.com/de-de/khao-yai-garden-lodge/hotel/khao-yai-th.html?cid=-134> hatten wir von den früheren Aufenthalten sehr gute Erinnerungen, aber seit dem Tod von Klaus Derwanz waren die Aussagen über die Lodge nicht mehr gut. Wir führen also die Gegend ab und guckten uns diverse Häuser an ... am Ende sind wir dann doch in der Garden Lodge gelandet. Wir waren sehr zufrieden und freuten uns natürlich sehr, dass unsere Fotos aus den Vorjahren noch hingen. Nach einer Nacht bekamen wir ein Upgrade in ein Luxuszimmer.

- **31.03. bis 03.04. - Khao Yai NP**

Der Park ist immernoch einen längeren Aufenthalt wert! Neben der langen Vogelliste erfreuten uns - zum ersten Mal) - erst zwei und später dann drei Elefanten.



Lesser Whistling Duck (*Dendrocygna javanica*)



Red Junglefowl (*Gallus gallus*)
 Siamese Fireback (*Lophura diardi*)
 Little Grebe (*Tachybaptus ruficollis*)
 Asian Openbill (*Anastomus oscitans*)
 Little Cormorant (*Phalacrocorax niger*)
 Oriental Darter (*Anhinga melanogaster*)
 Cinnamon Bittern (*Ixobrychus cinnamomeus*)
 Grey Heron (*Ardea cinerea*)
 Purple Heron (*Ardea purpurea*)
 Great Egret (*Ardea alba*)
 Intermediate Egret (*Mesophoyx intermedia*)
 Little Egret (*Egretta garzetta*)
 Cattle Egret (*Bubulcus ibis*)
 Chinese Pond Heron (*Ardeola bacchus*)
 Black-shouldered Kite (*Elanus caeruleus*)
 Black Baza (*Aviceda leuphotes*)
 Short-toed Eagle (*Circus gallicus*)
 Shikra (*Accipiter badius*)
 Black Kite (*Milvus migrans*)
 White-breasted Waterhen (*Amaurornis phoenicurus*)
 Black-winged Stilt (*Himantopus himantopus*)
 Pacific Golden Plover (*Pluvialis fulva*)
 Grey-headed Lapwing (*Vanellus cinereus*)
 Red-wattled Lapwing (*Vanellus indicus*)
 Little Ringed Plover (*Charadrius dubius*)
 Green Sandpiper (*Tringa ochropus*)
 Spotted Redshank (*Tringa erythropus*)
 Common Greenshank (*Tringa nebularia*)
 Marsh Sandpiper (*Tringa stagnatilis*)
 Wood Sandpiper (*Tringa glareola*)
 Common Redshank (*Tringa totanus*)
 Black-tailed Godwit (*Limosa limosa*)
 Temminck's Stint (*Calidris temminckii*)
 Caspian Tern (*Hydroprogne caspia*)
 Red Collared Dove (*Streptopelia tranquebarica*)
 Spotted Dove (*Streptopelia chinensis*)
 Zebra Dove (*Geopelia striata*)
 Thick-billed Pigeon (*Treron curvirostra*)
 Mountain Imperial Pigeon (*Ducula badia*)
 Asian Koel (*Eudynamis scolopaceus*)
 Green-billed Malkoha (*Phaenicophaeus tristis*)
 Greater Coucal (*Centropus sinensis*)
 Brown-backed Needletail (*Hirundapus giganteus*)

Himalayan Swiftlet (*Aerodramus brevirostris*)
 Pacific Swift (*Apus pacificus*)
 House Swift (*Apus nipalensis*)
 Asian Palm Swift (*Cypsiurus balasiensis*)
 Great Hornbill (*Buceros bicornis*)
 Oriental Pied Hornbill (*Anthracoceros albirostris*)
 Common Kingfisher (*Alcedo atthis*)
 White-throated Kingfisher (*Halcyon smyrnensis*)
 Chestnut-headed Bee-eater (*Merops leschenaulti*)
 Indian Roller (*Coracias benghalensis*)
 Dollarbird (*Eurystomus orientalis*)
 Coppersmith Barbet (*Psilopogon haemacephalus*)
 Green-eared Barbet (*Psilopogon faiostrictus*)
 Lineated Barbet (*Psilopogon lineatus*)
 Moustached Barbet (*Psilopogon incognitus*)
 Red-breasted Parakeet (*Psittacula alexandri*)
 Long-tailed Broadbill (*Psarismomus dalhousiae*)
 Bar-winged Flycatcher-shrike (*Hemipus picatus*)
 Ashy Woodswallow (*Artamus fuscus*)
 Common Iora (*Aegithina tiphia*)
 Scarlet Minivet (*Pericrocotus speciosus*)
 Large Cuckooshrike (*Coracina macei*)
 Pied Triller (*Lalage nigra*)
 Black-winged Cuckooshrike (*Lalage melaschistos*)
 Brown Shrike (*Lanius cristatus*)
 Black Drongo (*Dicrurus macrocerus*)
 Ashy Drongo (*Dicrurus leucophaeus*)
 Crow-billed Drongo (*Dicrurus annectans*)
 Lesser Racket-tailed Drongo (*Dicrurus remifer*)
 Hair-crested Drongo (*Dicrurus hottentottus*)
 Greater Racket-tailed Drongo (*Dicrurus paradiseus*)
 Malaysian Pied Fantail (*Rhipidura javanica*)
 Large-billed Crow (*Corvus macrorhynchos*)
 Sand Martin (*Riparia riparia*)
 Barn Swallow (*Hirundo rustica*)
 Red-rumped Swallow (*Cecropis daurica*)
 Black-headed Bulbul (*Pycnonotus atriceps*)
 Black-crested Bulbul (*Pycnonotus flaviventris*)
 Red-whiskered Bulbul (*Pycnonotus jocosus*)
 Puff-throated Bulbul (*Alophoixus pallidus*)
 Dusky Warbler (*Phylloscopus fuscatus*)
 Oriental Reed Warbler (*Acrocephalus orientalis*)
 Zitting Cisticola (*Cisticola juncidis*)
 Dark-necked Tailorbird (*Orthotomus atrogularis*)
 Plain Prinia (*Prinia inornata*)
 Oriental White-eye (*Zosterops palpebrosus*)
 White-crested Laughingthrush (*Garrulax leucolophus*)
 Asian Fairy-bluebird (*Irena puella*)
 Dark-sided Flycatcher (*Muscicapa sibirica*)
 Oriental Magpie-robin (*Copsychus saularis*)
 White-rumped Shama (*Copsychus malabaricus*)
 Little Pied Flycatcher (*Ficedula westermanni*)
 Taiga Flycatcher (*Ficedula albicilla*)



Blue Rock Thrush (*Monticola solitarius*)

Siberian Stonechat (*Saxicola maurus*)
Common Hill Myna (*Gracula religiosa*)
Black-collared Starling (*Gracupica nigricollis*)
Asian Pied Starling (*Gracupica contra*)
Common Myna (*Acridotheres tristis*)
Great Myna (*Acridotheres grandis*)
Scarlet-backed Flowerpecker (*Dicaeum cruentatum*)

Eastern Yellow Wagtail (*Motacilla tschutschensis*)
Paddyfield Pipit (*Anthus rufulus*)
Red-throated Pipit (*Anthus cervinus*)
House Sparrow (*Passer domesticus*)
Plain-backed Sparrow (*Passer flaveolus*)
Eurasian Tree Sparrow (*Passer montanus*)
Red Avadavat (*Amandava amandava*)



Nach einem guten Frühstück und einigen Beobachtungen am Morgen und der erforderlichen Autowäsche im Ort bummelten wir nach Bangkok und bereiteten uns auf den Rückflug vor.